

S.No	Generic Name	Common Name	Botanical Name	Family name	Origin	Part Used	Clinical uses
1	Acalypha indica	Indian nettle	Acalypha indica Linn., Acalypha indica Forsk., Acalypha indica Wall.	Euphorbiaceae	India	Whole plant	It is indicated in hard, racking cough, bloody expectoration, arterial hæmorrhage, Very weak in the morning
2	Acidum lacticum	Lactic acid	-	-	-	-	Morning sickness, diabetes and rheumatism offer a field for this remedy. Trouble in the breasts. Locally, in the tuberculous ulceration of vocal cords.
3	Acidum phosphoricum	Phosphoric Acid	-	-	-	-	The common acid 'debility' is very marked in this remedy, producing a nervous exhaustion. Mental debility first; later physical. Pyrosis, flatulance, diarrhoea, diabetes, rachitis and periosteal inflammation. Neurosis in stump, after amputation. Haemorrhages in typhoid. Useful in relieving pain of cancer.
4	Aconitum napellus	Monk's hood	Aconitum napellus Linn	Ranunculaceae	Southern Europe	Whole Plant	Physical and mental restlessness, Complaints and tension, gastro-intestinal disturbances, inflammatory fevers, Hyperæmia.
5	Adonis vernalis	Pheasant's eye	Adonis vernalis Linn	Ranunculaceae	North europe & Asia	Whole plant	A heart medicine, after rheumatism or influenza, or Bright's disease. Low vitality, with weak heart and slow, weak pulse.
6	Aesculus Hippocastanum	Horse Chestnut	Aesculus Hippocastanum Linn	Sapindaceae	Europe and America and India	Horse Chestnuts	Horse chestnut is an astringent, anti-inflammatory herb that helps to tone the vein walls which when slack or distended may become varicose, hæmorrhoidal or otherwise problematic. The plant also reduces fluid retention by increasing the permeability of the capillaries and allowing the re-absorption of excess fluid back into the circulatory system. This plant is potentially toxic if ingested and should not be used internally without professional supervision. It also possesses alterative, analgesic, hæmostatic and vulnerary properties. The bark is anti-inflammatory, astringent, diuretic, febrifuge, narcotic, tonic and vasoconstrictive. The plant is taken internally for the treatment of a wide range of venous diseases including hardening of the arteries, varicose veins, phlebitis, leg ulcers, hæmorrhoids and frostbite. It is also made into a lotion or gel for external application. The seeds are decongestant, expectorant and tonic and are used in the treatment of rheumatism, neuralgia and hæmorrhoids. Oil extracted from the seeds has been used externally as a treatment for rheumatism. The powdered roots are analgesic and have been used to treat chest pains. It has been used for swelling and pain due to varicose veins and chronic
7	Agnus Castus	The chaste tree	Vitex agnus castus	Verbenaceae	Southern Europe	Fruit	The most point of attack of Agnus upon the organism is the sexual organism. It lowers sexual vitality, with corresponding mental depression and loss of nervous energy. It shows this distinctive influence in both sexes, but is more pronounced in men. Premature old age from abuse of sexual power. History of repeated gonorrhoeas. Gnawing itching in all parts, especially eyes. Tachycardia caused by tobacco in neurotic young men.
8	Aletris farinosa	Stargrass	Aletris farinosa Linn	Liliaceae	Eastern U.S	rhizome and root	An anæmic, relaxed condition, especially of the female organism. The patient is tired all the time, and suffers from prolapsus, leucorrhœa, rectal distress. Chlorotic girls and pregnant women.
9	Alfafa	Medicago sativa	Medicago sativa Linn	Leguminosae	India	Whole Plant excluding roots	Alfalfa favourably influences nutrition, evidenced in 'toning up' the appetite and digestion resulting in greatly improved mental and physical vigor, with gain in weight. Disorders characterized by malnutrition are mainly within its therapeutic range, for example, neurasthenia, splanchnic blues, nervousness, insomnia, nervous indigestion, etc. Acts as a fat producer, corrects tissue waste. Deficient lactation. Increases quality and quantity in of milk in nursing mothers.
10	Allium Cepa	Red Onion	Allium Cepa Linn	Liliaceae	Found throughout the world	Red, Mature bulbs	Coryza, with acrid nasal discharge and laryngeal symptoms. Neuralgic pains. Traumatic chronic neuritis. Burning in nose, mouth, throat, bladder and skin.
11	Aloe socotrina	Socotrine aloes	Aloe socotrina Linn	Liliaceae	India, Saudi Arabia	the inspissated juice of the leaves	The rectal symptoms usually determine the choice. Heat internally and externally.
12	Apis mellifica	The Honey-bee	Apis mellifica	Apidae	India	The live bee	Acts on cellular tissues causing œdema of skin and mucous membranes.
13	Apocynum androsaemifolium	Dogbane	Apocynum androsaemifolium Linn.	Apocynaceae	United States/Canada	Rhizome and root	The rheumatic symptoms of this remedy promise most curative results. Its pains are of a wandering nature, with much stiffness and drawing. Everything smells and tastes like honey. Worms. Trembling and prostration. Swollen sensations.
14	Arnica montana	Leopard's bane	Arnica montana Linn	Compositae	Europe/US cooler parts	Whole plant	
15	Ashoka janosia	Asoka Jonesia	Saraca Asoca	Caesalpiniaceae	-	Bark	The bark contains tannins and some chemicals and is prescribed as a tonic. Crushed flowers and leaves are rubbed on the skin to get relief from skin diseases. When selecting trees for avenues or large gardens, it will be an excellent idea to choose Saraca asoka instead of the usual rusty shield bearer or the ubiquitous gulmohur. The dried flowers are used in diabetes and hæmorrhagic dysentery and seeds are used for curing bone fractures, strangury and vesical calculi. The flowers are considered to be a uterine tonic and is used in cases like burning sensation, dysentery, hyperdypsia, scabies in children and inflammation. It is also used in fever, dipsia, colic, ulcers and pimples. The seeds are strengthening and the ash of plant is good for external application in rheum-arthritis. It is considered as best female tonic.
16	Asparagus officinalis	Common Garden Asparagus	Asparagus officinalis Linn	Liliaceae	Europe	Young shoots	Weakness and cardiac depression with dropsy. Rheumatic pains. Especially about left shoulder and heart.
17	Aspidosperma	White quebracho	Aspidosperma Quebracho, blanco Schlecht	Apocynaceae	Argentina	Bark	Antiasthmatic for aged
18	Aswagandha	Aswagandha	Withania Somnifera	Solanaceae	-	Roots	Ashwagandha is tonic, abortifacient, astringent, deobstruent, nervine, aphrodisiac and sedative. It is official Indian Pharmacopoeia and is popularly known as Indian Ginseng. It gives vitality and vigour and helps in building greater endurance. Ashwagandha has been used in diseases such as rheumatism, leprosy and arthritis. Used to treat general debility, arthritis, depression, chronic fatigue, insomnia, anxiety, depressed immunity, infertility and memory loss. It increases the iron content in the blood.

19	Avena Sativa	Common oat	Avena Sativa Linn	Graminae	India	Seeds	Has a selective action on brain and nervous system, favourably influencing their nutritive function. Nervous exhaustion, sexual debility and the morphine habit call for this remedy in rather material dosage. Best tonic for debility after exhausting diseases. Nerve tremors of the aged; chorea, paralysis agitans, epilepsy. Post-diphtheritic paralysis. Rheumatism of heart. Colds. Acute coryza. Alcoholism. Sleeplessness, especially of alcoholics. Bad effects of Morphine habit. Nervous states of many female troubles.
20	Baptasia tinctora	Bapt. C	Baptasia australis (L) R B	Fabaceae	U.S.A	Whole plant	Septic conditions of the blood, malarial poisoning and extreme prostration. Indescribable sick feeling. Great muscular soreness.
21	Belladonna	Deadly Nightshade	Atropa Belladonna Linn	Solanaceae	Southern Europe and Kashmir	Whole plant	It is narcotic, mydriatic, antidote, diuretic, analgesic, antispasmodic, laxative, hallucinogenic and sedative. It is mainly used to dilate pupils in eye diseases, bladder and kidney diseases, bladder and ureteral spasms, intestinal and biliary colic, cold, flu, pain and asthma. It is also helpful in airway obstruction, ear infection, headache, nervous system disorders, premenstrual syndrome, radiation burn and menopausal symptoms. It is applied as a lotion in case of neuralgia, gout, rheumatism and sciatica. It is also used for the treatment of irritable bowel syndrome and acute enterocolitis and as an adjunctive therapy in the treatment of duodenal ulcers. Extract is having Pseudoephedrine-like qualities and thus is used for clearing up nasal and other passages where mucus forms.
22	Berberis aquifolium	Mountain grape	Berberis aquifolium Grap	Berberidaceae	Western United States	Root	A remedy for the skin, chronic catarrhal affections, secondary syphilis. Hepatic torpor, lassitude and other evidences of incomplete metamorphosis; stimulates all glands and improves nutrition.
23	Berberis vulgaris	Barberry	Berberis Vulgaris	Berberidaceae	India, Europe and north of Asia	Bark of the root.	Rapid change of symptoms-pains change in regard to place and character-thirst alternates with thirstlessness, hunger, loss of appetite, etc. Acts forcibly on the venous system, producing pelvic engorgements and haemorrhoids. Hepatic and rheumatic affections, particularly with urinary, haemorrhoidal and menstrual complaints. Old gouty constitutions. Pain in the region of kidney is most marked; hence its use in renal and vesical troubles, gall stones and vesical catarrh. It causes inflammation of kidneys with haematuria. It has also marked action on the liver, promoting the flow of bile. <u>Spinal irritation.</u>
24	Blatta orientalis	Indian cockroach	Blatta orientalis Linn	Orthoptera	-	The Whole insect	A remedy for asthma. Cough with dyspnoea in bronchitis and phthisis.
25	Bryonia alba	Wild hops	Bryonia alba Linn	Cucurbitaceae	Middle /South of Europe	Roots	The general character of the pain here produced is a stitching, tearing; worse by motion, better rest. dry cough; rheumatic pains and swellings.
26	Cactus grandiflorus	Night-blooming cereus	Cereus Grandiflorus, Selenicereus spinulosus	Cactaceae	America and India	Flowering stem.	Acts on circular muscular fibres. It is the heart and arteries especially that at once respond to the influence of cactus, producing very characteristic constrictions as of an iron band. Haemorrhage, constrictions, periodicity and spasmodic pains. Congestions; irregular distribution of blood. Favours formation of clots speedily. Great periodicity. toxic goitre with cardiac symptoms. Cactus is <u>pulseless, panting and prostrated.</u>
27	Caladium seguinum	American arum	Caladium seguinum Vent	Araceae	West indies/South America	Whole Plant	This remedy has a marked action on the genital organ. Modifies craving for tobacco. Tobacco heart. Asthmatic complaints.
28	Calendula officinalis	Marigold	Calendula Officinalis Linn	Compositae	India	Fresh Flowering tops and leaves.	Calendula have been used to treat conjunctivitis, blepharitis, eczema, gastritis, minor burns including sunburns, warts, and minor injuries such as sprains and wounds. Calendula flowers have been considered beneficial in reducing inflammation, wound healing, and used as an antiseptic. Calendula has been used to treat a variety of skin diseases and has been seen effective in treatment of skin ulceration and eczema. If taken internally through a tea, it has been used for treatment of stomach ulcers, and inflammation. Calendula has been effective in treating juvenile acne and dry phthiriasis. It has also been used to treat cramps, coughs and snake bites. Research continues into the healing properties of Calendula. Calendula heals wounds as well as internal and external ulcers. It is an antiseptic, and improves blood flow to the affected area. As an antifungal agent, it can be used to treat athlete's foot, ringworm, and candida.
29	Cantharis Vesicatoria	Spanish fly	Lytta vesicatoria Fabricus, Meloe Vesicatorius Linn.	Cantharideae	Europe, south-western Asia	The whole dried fly.	This powerful drug produces a furious disturbance in the animal economy, attacking the urinary and sexual organs especially, perverting their function and setting up violent inflammations, and causing a frenzied delirium, simulating hydrophobia symptoms (Anagallis). Puerperal convulsions. Produces most violent inflammation of the whole gastro-intestinal canal, especially lower bowel. oversensitiveness of all parts. Irritation. Raw, burning teristic. Gastric, hepatic and abdominal complaints that are aggravated by drinking coffee. Gastric derangments of pregnancy. Dysuria, with other complaints. Increases secretion of mucous membranes, tenacious mucus. The inflammations Cantharis produces (bladder, kidneys, ovaries, meninges, pleuritic and pericardial membranes) are usually associated with bladder irritation
30	Carduus Marianus	St. Mary's thistle	Silybum marianum Gaerth, Carduus Marianus Linn.	Compositae	Punjab/N.Whimalyan/ J&K/S.Eur/GB	Seeds	The action of this drug is centered in the liver and portal system, causing soreness, pain and jaundice. Abuse of alcoholic beverages, especially beer. Varicose veins and ulcers. Disturbs metabolism. Influenza when liver is affected. Debility. Haemorrhages.
31	Cascara sargada	Sacred bark	Rhamnus purshiana D.C	Rhamnaceae	California/ British columbia	Bark 2 years old contain 8% Anthraquinones	Chronic indigestion, cirrhosis and jaundice. Haemorrhoids and constipation. Gastric headache. Broad, flabby tongue; foul breath.
32	Caulophyllum Thalict	Blue cohosh	Caulophyllum Thalictroides Michx	Berberidaceae	Canada / Kentucky USA	Rhizome	This is a woman's remedy. Want of tonicity of the womb. During labor, when the pains are deficient and the patient is exhausted and fretful. Thrush, locally and internally.

33	Ceanonthis americana	New Jersey tea	Ceanonthus americana, Ceanonthus herbaceous Rafin.	Rhamnaceae	Canada and Texas	Leaves. Moisture content of fresh leaves 150 ml per 100g solids.	This remedy seems to possess a specific relation to the spleen. Ague cake of malaria. A left sided remedy generally. Anaemic patients where liver and spleen are at fault. Chronic bronchitis with profuse secretion. Marked blood pressure, reducing power. Active haemostatic, materially reducing the clotting of blood.
34	Chelidonium majus	Celandine	Chelidonium majus Linn	Papaveraceae	Germany/France	Whole plant	A prominent liver remedy. The jaundiced skin, and especially the constant pain under inferior angle of right scapula. Bilious complication during gestation.
35	Chimaphila umbellata	Pipsissewa	Chimaphila umbellata (Linn) Borton	Ericaceae	Canada/Mexico/Japan /Europe	Whole Plant	Acts principally on kidneys, and genito-urinary tract; affects also lymphatic and mesenteric glands and female mamme. Women with large breasts. Hepatic and renal dropsies; chronic alcoholics. Scanty urine. Prostatic enlargement.
36	China officinalis	Peruvian Bark-China	-	-	India	Bark	Debility from exhausting discharges, from loss of vital fluids, together with a nervous erethism. Chronic gout.
37	Chinonthus virginica	Fringe tree	Chinonthus virgginicus	Oleaceae	Southern united States	Bark	This remedy is often of service in many types of headaches, neurasthenic, perodical sick, menstrual and bilious. The pain in the forehead, chiefly over eyes. Eyeballs very painful, with pressure over root of nose. Jaundice. Enlarged spleen. Jaundice with arrest of menses. A prominent liver remedy. Gallstones. Diabetes mellitus. Paroxysmal abdominal pain.
38	Cimicifuga racemosa	MACROTYS (Black snake-root)	imicifuga racemosa Nutt	Ranunculaceae	U.S.A/Canada	Rhizome	Has a wide action upon the cerebrospinal and muscular system, as well as upon the uterus and ovaries. Muscular and crampy pains, Migraine.
39	Cinamonum	Cinnamon	Cinnamonum zeylanicum Nees	Lauraceae	India/Sri Lanka	Inner bark	Nosebleed. Hæmorrhages from bowels, hæmoptysis. Flatulency and diarrhœa.
40	Cinchona Officinalis	Peruvian Bark-Chinas	Cinchona Officinalis	Rubiaceae	India	Bark	Quinine Bark is bitter, astringent, acrid, thermogenic, febrifugre, oxytoxic and anodyne, digestive, antipyretic, cardiotoxic, anti-inflammatory and tonic. Cinchona Officinalis is useful in malarial and intermittent fevers, lumbago, bacterial infections, helminthiasis, dyspepsia, chronic dysentery, skin diseases, cough, bronchitis and cardiac debility. The powdered peruvian bark (quinine bark) is often used in tooth-powders, owing to its astringency. Cinchona officinalis in decoction is a useful gargle and a good throat astringent.
41	Coca	The divine plant of the Incas-but the Spanish [priests denounced it as 'un delusio del demonio'	Erythroxyton coca lamarc	Erythroxytonaceae	India	Leaves	Palpitation, dyspnoea, anxiety and insomnia. Exhausted nervous system from physical and mental strain. Caries of teeth.
42	Cocus cacti	Cochineal	Dactylopius coccus Coso	Coccidae	Mexico/Peru/ C.America/Spain.W.Indies	Dried female insect	Whooping coughs, and catarrhal conditions of the bladder; spasmodic pains in kidneys.
43	Cola	Cola	cola nitida (Vent) Cheva	Sterculiaceae	-	Dried ripe seeds	-
44	Colchicum	Meadow saffron	olchicum autumnale Linn	Liliaceae	India	Corn	Affects markedly the muscular tissues, joints pian, Gouty pain, Tearing pains, Shocks as from electricity through one half of body. Bad effects from suppressed sweat.
45	Collinsonia canadensis	Stone-root	ollinsonia canadensis Linn	labiatae	U.S.A/Canada	Rhizome	Pelvic and portal congestion, resulting hæmorrhoids and constipation. Depressed arterial tension. Chronic nasal, gastric, and pharyngeal catarrh. Dropsy from cardiac disease.
46	Colocynthis	Bitter cucumber	Citrullus colocynthis, Colocynthis vulgaris Ch, Cucumis Colocynthis C.N.	Cucurbitaceae	India, Sri Lanka, Saudi Arabia And Japan	Pulp excluding seeds	Develops most of its symptoms in the abdomen and head, causing intense neuralgias. It is especially suitable for irritable persons easily angered. Women with copious menstruation and of sedentary habits. The neuralgic pains are nearly always relieved by pressure. Cramps and twitching, and shortening of muscles. Constrictions and contractions. Aponizing pain in abdomen, causing patient to bend double, is most characteristic. Sensations: cutting, twisting, grinding, contracting and bruised; as if clamped with iron bands.
47	Condurango	Condor Plant	Marsdenia Condurango Nichols	Asclepiadaceae	South America	Bark	Stimulates the digestive functions and thus improves the general health. Cancer of stomach. Varicose ulcers. Chronic gastric catarrh, syphilis, and cancer. Tumors; stricture of oesophagus.
48	Conium maculatum	Poison hemlock	Conium maculatum Linn	Umbelliferae	Asia, Europe and North Africa	whole plant	Conium is an excellent remedy, such as difficult gait, trembling, sudden loss of strength while walking, painful stiffness of legs, etc. Such a condition is often in old age, a time of weakness, languor, local congestions and sluggishness. It corresponds to the debility, hypochondriasis, urinary troubles, weakened memory, sexual debility found here. Troubles at the change of life, old maids and Bachelors. Growth of tumours. Great debility in the morning in bed. weakness of body and mind, trembling and palpitation. Arteriosclerosis. Caries of sternum. enlarged glands. Acts on the glandular system. Insomnia of multiple neuritis.
49	Convallaria majalis	Lily of the valley	Convallaria majalis Linn	Liliaceae	Europe and Asia	Whole plant	A heart remedy. Increases energy of hearts' action. Dyspnoea, dropsy, aneuric tendency. Hypertrophy.
50	Crataegus Oxyacantha	Hawthron berries	Crataegus Oxyacantha	Rosaceae	Native of Asia/Europe	Berries	Produces giddiness, lower pulse and air hunger and reduction in blood pressure. Acts on muscle of heart and is a heart tonic. No influence on the endocardium. Myocarditis. Irregularity of heart. Insomnai of aortic sufferers; anaemia; oedema; cutaneous chilliness. High arterial tension. Chronic heart disease, with extreme weakness. very feeble and irregular heart action. Very nervous, with pain in back of head and neck. Collapse of typhoid. Haemorrhage from bowels. Cold extremities, pallor; irregular pulse and breathing. Painful sensation of pressure in left side of chest below the clavicle. Dyspepsia and nervous prostration, with heart failure. in the beginning of heart mischief after rheumatism. Arteriosclerosis.
51	Cubeba officinalis	Cubebs	Piper cubeba Linn	Piperaceae	sri lanka	Dry unripe fruit	Mucous membranes generally, but especially that of the urinary tract, are chiefly affected by this remedy. Frequent urination of a nervous origin. Leucorrhœa in little girls.
52	Damiana	-	Tumera diffusa Willd, Var. aphrodisiaca Urb., Tumera aphrodisiaca Willd.	Turnaraceae	Mexico	Whole Plant	Said to be of use in sexual neuraesthesia; impotency. Sexual debility from nervous prostration. Incontinence of old people. Chronic prostatic discharge. Renal and cystic catarrh; frigidity of females. Aids the establishment of normal menstrual flow in young girls.

53	Digitalis purpurea	Foxglove	Digitalis purpurea linn	Scrophulariaceae	india, Europe, England	Leaves of the 2nd year's growth	Pulse is weak, irregular, intermittent, abnormally slow, and dropsy of external and internal parts. Weakness and dilatation of the myocardium. Cardiac muscular failure.
54	Dioscorea villosa	wild yam	Dioscorea villosa Linn	Dioscoreaceae	united States of America	Rhizome	Colic Pain, Painful affections of abdominal and pelvic,
55	Drosera rotundifolia	Sundew	Drosera rotundifolia Lin	Droseraceae	Eur/N.Amer/Asia	Whole plant	
56	Echinacea angustifolia	Purple cone flower	Echinacea angustifolia DC., Brauneria angustifolia Heller	Compositae	US / Euorpe	Whole plant	Symptoms of blood poisoning, septic conditions generally. Diarrhoea in typhoid. Gonorrhoea. Boils, Erysipelas and foul ulcers. Gangrene. Goitre exophthalmic symptoms. Tendency to malignancy in acute and subacute disorders. Last stage of cancer to ease pain. Venom infection. Cerebrospinal meningitis. Puerperal infections. Tired feeling. Piles. Pustules. Acts on vermiform appendix, thus has been used for appendicitis. Lymphatic inflammation; crushing injuries. Snake bites and bites and stings generally. Foul discharges with emaciation and great debility.
57	Echinacea purpurea	Ech. Pur	nacea purpurea (L.) Mo	Compositae	Geogia to Louisiana, north to Virginia	Whole plant	Diphtheria and putrid fevers.
58	Epigaea repens	Epig. Rep.	Epigaea repens Linn.	Ericaceae	Eastern Canada, Southward to Florida	Whole plant	Chronic cystitis, with dysuria. Renal calculi. Fine sand in urine of a brown color. Burning in neck of bladder whilst urinating. Croaking noise and rumbling in bowels.
59	Equisetum	Equ. Arv.	Equisetum Linn.	Equisetaceae	Europe & Asia.	Stem	Principal action on the bladder. A remedy for enuresis and dysuria.
60	Eucalyptus globulus	Blue Gum Tree	Eucalyptus globulus lab	Myrtaceae	Australia	Leaf	Eucalyptus is a powerful antiseptic. Atonic dyspepsia, gastric and intestinal catarrh.
61	Eupatorium Perfoliatum	Thoroughwort	Eupatorium Perfoliatum	Compositae	North America	flowering tops.	Known as 'bone-set' from the prompt manner in which it relieves pain in limbs and muscles that accompanies some forms of febrile disease, like malaria and influenza. Eupatorium acts principally upon the gastro-hepatic organs and bronchial mucous membrane. It is a boon in miasmatic districts, along rivers, marshes, etc. and in all conditions where there is a great deal of bone-pain. Cachexia from old chronic, bilious intermittents. Bone-pains in general and severe. Soreness.
62	Fel tauri	Ox-gall	Oxgal	-	-	Fresh bile	Disordered digestion, diarrhoea, and pain in nape of neck. Obstruction of gall ducts. Biliary calculi. Jaundice.
63	Filix mas	Male fern	Dryopteris Filix -mas (Linn.) Schott	Dryopterisaceae	Europe/India/U.S.A	Rhizome	Tapeworm. Soporific conditions. Torpid inflammations of lymphatic glands.
64	Fraxinus Americana	White ash	Fraxinus Americana. Fraxinus alba Marsh.	Oleaceae	Texas	Bark	Enlargement of the uterus. Fibrous growths, subinvolution, and prolapse. Uterine tumors.
65	Fucus vesiculosus	Sea kelp	Fucus vesiculosus	Fucaceae	North America/Europe	whole plant	A remedy for obesity and non-toxic goitre; also exophthalmic. Digestion is furthered and flatulence diminished. Obstinate constipation; forehead feels as if compressed by an iron ring. Thyroid enlargement in obese subjects.
66	Gaultheria procumbens					Leaf	
67	Gelsimium sempervivens	Yellow jasmine	Gelsimium sempervivens, Bignonia sempervivens	Loganiaceae	Virginia & Mexico	Rhizome	Centers its action upon the nervous system, causing various degrees of motor paralysis. General prostration. Dizziness, drowsiness, dullness and trembling. Slow pulse, tired feeling, mental apathy. Paralysis of various groups of muscles about the eyes, throat, chest, larynx, sphincter, extremities, etc. Post-diphtheritic paralysis. Muscular weakness. Complete relaxation and prostration. Lack of muscular co-ordination. General depression from heat of sun. Children fear falling, grab nurse or crib. influenza. Measles. Pellagra.
68	Gentiana lutea	Yellow Gentian	Gentiana lutea Linn	Gentianaceae	Southern/Central Europe	Root	Stomach symptoms marked. Acts as a tonic, increasing appetite.
69	Ginkgo biloba	Ginkgo	Ginkgo Biloba, Salisburia aadinatifolia Smith.	Ginkgoaceae	America, China & japan	Fresh leaves (during spring)	General lameness, unreasonable fear with loquacity. Left supra-orbital pain, Muscular weakness and vesiculo-pruriginous eruptions and also in micturition troubles.
70	Ginseng	Aralia quinquefolia, Wild ginseng, Panax	Panax quinquefolium, Ginseng quinquefolia	Araliaceae	China/Japan/Korea	Root	Said to be a stimulant to the secretory glands, especially salivary. Acts on the lower part of the spinal cord. Lumbago, sciatica, and rheumatism. Paralytic weakness. Hiccough. Skin symptoms, itching pimples on neck and chest.
71	Glonoinum Liquidum	Nitro-glycerine--Spirits Glycerinus Nitrate	Liquid glucose	-	-	-	Great remedy for congestive headaches, hyperaemia of the brain from excess of heat or cold.
72	Gnaphalium	Cud-weed, Old balsam	Gnaphalium obtusifolium Linn.	Compositae	North America	Whole plant	Rheumatism and morning diarrhoea. Polyuria.
73	Gossypium herbaceum	Cotton-plant	ossypium herbaceum Lin	Malvaceae	Asia, Europe and America	Cotton plant	Gossypium will relieve tardy menses.
74	Guaicum wood 48%	Resin of Lignum Vitae	Jamaica guaiacum	-	Tropical US	WOOD	Rheumatism, and tonsillitis. Secondary syphilis.
75	Gymnema sylvestre	Mesharingi, Gurmar	ymnema sylvestre R. Br	Asclepiadaceae	Central & southern India	Leaves	Snake-bite. Taste, altered.
76	Hammamelis virginiana	Witch hazel	Hammamelis virgginiana	Hammamelideaceae		Stem and root bark	Venous congestion, haemorrhages, varicose veins and haemorrhoids, with bruised soreness of affected parts. Acts upon the coats of the veins causing relaxation with consequent engorgement. Passive venous haemorrhages from any part. Great value in open, painful wounds, with weakness from loss of blood. After operations, supercedes the use of morphia.
77	Helonias dioica	Unicorn-root	Chamaelirium luteum (Linn.) A. Gray	Liliaceae	united states and Canada	Rhizome & root	Sensation of weakness, dragging and weight in the sacrum and pelvis. Tired, backache females.
78	Hydrangea arborescens	Seven-barks	Hydrangea Arborescens	Saxifragaceae	United States	Root rhizome	A remedy for gravel, profuse deposit of white amorphous salts in urine. Calculus, renal colic, blood urine. Acts upon the ureters. Pain in the lumbar region. Dizziness. Oppression of chest.
79	Hydratsis can IND	Golden seal	hydratsis canadensis Lin	Ranunculaceae	India	Rhizome	Acts especially on mucous membranes, relaxing them and producing a thick, yellowish, ropy secretion.
80	Hydratsis can USA	Golden seal	hydratsis canadensis Lin	Ranunculaceae	United States/Canada	Rhizome	Acts especially on mucous membranes, relaxing them and producing a thick, yellowish, ropy secretion.
81	Hydrocotyle Asiatica	Thankuni	Centella asiatica, hydrocotyle asiatica	Umbelliferae	India	whole plant	From the family of Umbelliferae; it was first proved by Dr. Boilen. It is also known as Indian pennywort, Kurivana or Valla-rai. An excellent medicine in Jaundice; leprosy; skin diseases; syphilis; gonorrhoea; dropsy; leucorrhoea; elephantiasis. It is a diuretic, aperient and tonic; efficacious in nervous debility and seminal weakness.
82	Hyoscyamus niger	Henbane	Hyoscyamus niger Linn.	Solanaceae	India, Europe & America	Whole plant	Disturbs the nervous system profoundly.
83	Ignatia amara	St. Ignatius Bean	Strychnos ignaia Berg.	Loganiaceae	Philippine and China	Seed	Rapid change of mental and physical condition.
84	Iodium	Iodine	Iodine	-	-	-	Rapid metabolism: Loss of flesh great appetite. Hungry with much thirst. Better after eating.

85	Jaborandi	Pilocarpus	Pilocarpus jaboran	Rutaceae	Brazil	Leaf	Jaborandi is a powerful glandular stimulant and the most efficient diaphoretic.
86	Kurchi	-	-	-	India	-	-
87	Ledum palustre	Marsh-tea	Ledum Palustre, Ledum decumbens	Ericaceae	N.Euope/ Asia/ Alaska	Whole plant	Affects especially the rheumatic diathesis, going through all the changes, from functional pain to altered secretions and deposits of solid, earthy matter in the tissues. The ledum rheumatism begins in feet and travels upward. It affects also the skin, producing an eruption like Poison oak and is antidotal thereto, as well as to stings of insects. there is a genral lack of animal heat, and yet geat of bed is intolerable. For puntured wounds, produced by sharp pointed instruments of bites, particularly if the wounded parts are cold, this is the remedy. Tetanuswith twitching of muscles near wound.
88	Lemna Minor	Duckweed	Lemna Minor	Lemnaceae	India W.Bengal	whole plant	A catarrhal remedy. Acts especiallyupon the nostrils. Nosal polypi; swollem=n turbinates. Atrophic rhinitis. Asthma from nasal obstruction; worse in wet weather.
89	Liatris spicata	Colic Root	Liatris spicata Wild.	Compositae	Florida/N.Jersey/USA / Europe	Root	A vascular stimulant. Increases functional activity of the skin, mucous membranes.
90	Lycopodium clav	Club moss	Lycopericum esculentum Mill, solanum lycopersicum	Solanaceae	Europe/U.S.A	Spores	Marked symptoms of rheumatism and influenza. Severe aching pains all over the body. Pains left after influenza. Head always shows signs of acute congestion. Hay fever, with marked aggravation from breathing the least dust. Frequent urinatio and profuse diarrhoea.
91	Millefolium	Yarrow	Achillea millefolium Linn	Compositae	Asia, Europe & America	Whole plant	An invaluable remedy for various types of hæmorrhages; blood bright.
92	Muira puma	-	Liriosma ovata	Oleaceae	Brazil	Root bark & the wood	As a tonic and aphrodisiac.Impotence.
93	Negundium americana	Neg. am.	Acer negundo linn.	Aceraceae	America	Whole plant	Used in engorgement of rectum and piles with great pain.
94	Nuphar luteum	Yellow Pond-lily	Nuphar luteum, Sibth & Smith	Hymphaeaceae	Europe	Rhizome	Produces nervous weakness, with marked symptoms in the sexual sphere.
95	Nux Vomica	Poison nut	rychnos nux-vomica Lir	Loganiaceae	India	Seeds	Is the greatest of polychrests.
96	Ocimum canum	Brazilian Alfavaca	OCIMUM CANUM Sins.	Labiatae	ndia, Sri Lanka & Americ	Leaf	Is to be remembered in diseases of the kidneys, bladder and urethra. Uric acid diathesis. Red sand in the urine.
97	Oenanthe crocata	Water dropwort	Oenanthe crocata Linn.	Umbelliferae	Spain/France	Root	Epileptiform convulsions; worse, during menstruation and pregnancy.
98	Okoubaka Aubreville	Okoub	Okoubaka Aubrevillei Pellegr et Norm.	Octonematacea	Africa	Bark & Leaves Inc Wood	Weakness of memory, vertigo, nicotine intoxication, flatulent dyspepsia, unstable glycaemia.
99	Oleum jecoris aselli	Cod-liver Oil	-	-	-	-	Pains in liver region. Tuberculosis in the beginning.
100	Ornithogalum umbel	Star of Bethlehem	Ornithogalum umbellatum Linn.	Liliaceae	Europe	Flowering twigs	To be considered in chronic gastric and other abdominal indurations, possibly cancer of intestinal tract, especially of stomach and Cæcum.
101	Paeonia officinalis	Paeony	Paeonia officinalis	Ranunculaceae	Europe/West Asia	Root	The rectal and anal symptoms are most important. Chronic ulcers on lower parts of body, leg, foot, toe, also breast, rectum.
102	Pareira brava	Virgin vine	Chondrodendron tomentosum Ruiz Pavon	Menispermaceae	Brazil/West Indies/Central America	Root	The urinary symptoms are most important. Useful in renal colic, prostatic affections, and catarrh of bladder.
103	Passiflora incarnata	Passion flower	Passiflora Incarnata.	Passifloraceae	U.S.A	Leaf	An efficient antispasmodic. Whooping cough. Convulsions in children. Neralgia. Insomnia, produce normal sleep, no disturbance to cerebral functions, neurosis of children, worm-fever, teething, spasms. Tetanus. Hysteria; puerperal convulsions. Painful diarrhoea. Acute mania. Asthma. Locally in Erysipelas.
104	Phytolacca berry	Phyt. B.	hytolacca decendra Linn	Phytolaccaceae (Poke weed family)	North America	Berries	Treatment of obesity and throat.
105	Phytolacca decendra	Poke-root	pytolacca americana Linn	Phytolaccaceae	North America	Roots	Aching, soreness, restlessness, prostration, are general symptoms guiding to Phytolacca. Pre-eminently a glandular remedy. Glandular swellings with heat and inflammation.
106	Pinus lamb	Sugar Pine	Crude turpentine	-	-	Resin	Constipation, abortion and amenorrhoea.
107	Pinus Sylvestris	Scotch pine	pinus sylvestris Linn.	Pinaceae	Eurpe/Asia	Young shoot	treatment of weak ankles and tardiness in walking, in scrofulous and rachitic children. Emaciation of lower extremities.
108	Piscidia ery	pics.	Piscidia erthrina Linn.	Leguminosae	Tropical America/West indies	Root bark	Induce sleep, and to relieve the pain of toothache, neuralgia, etc.
109	Plantago major	Plantain	Plantago major Linn.	Plantaginaceae	Europe/Japan/North America	Whole plant	treatment of earache, toothache, and enuresis. Sharp pain in eyes, inflammation of the middle ear.
110	Podophyllum	May-apple	Podophyllum peltatum Linn.	Berberidaceae	United States	Rhizome	The Podophyllum disease is a gastro-enteritis with colicky pain and bilious vomiting. Stool is watery with jelly-like mucus, painless, profuse. Gushing and offensive.
111	Pulsatilla nigra	Wind flower	Anemone pulsatilla Stoerch, anemone pratensis, Pulsatilla pratensis Mill, Pulsatilla nigricans	Ranunculaceae	Europe/Russia/Asia	whole plant	The disposition and mental state are the chief symptoms to the selection of pusatilla. It is pre-eminently a female remedy, especially for mild, gental, yielding disposition. Sad, crying readdily; weeps when talking; changeable, contradictory. The patients seeks the open air; always feels better there,even though he is chilly. Mucous membranes are all affected. Discharges thick, bland and yellowish-green. Often indicated after abuse of iron tonic and after badly managed measles. thirstless, peevish and chilly. When first srious impairment of health is referred to age of puberty. Great sensitiveness. Wants the head high, feels uncomfortable with only one pillow. Lies with hands above head.
112	Ratania	Krameria-Mapato	Krameria triandra Ruiz et Pavon, Ratania peruiana	Leguminosae	Peru	Root	The rectal smptoms are most marked and have received much clinical conformation. It has cured pterygium. Volient hiccough. Cracked nipples. Pinworms.
113	Rauwolfia serpentina	Chandra	Rauwolfia serpentina Benth ex Durza.	Apocynaceae	Western gates of India	Root	Hypetension, sexual weakness and related symptoms.
114	Rhus aromatica	Fragrant Sumach	Rhus aromatica ait.	Anacardiaceae	USA	Root bark	Renal and urinary affections, especially diabetes. Enuresis due to vesical atony; senile incontinence. Hæmaturia and cystitis come within the range of this remedy.
115	Rhus Toxicodendron	Poison ivy	Rhus Toxicodendron Mich, Rhus radicans, Rhus humile, Rhus pubescens, Rhus verrucosa Sch	Anacardiaceae	Usa	Leaf	The effects on the skin, rheumatic pains, mucous membrane affections and a typhoid type of fever, make this remedy frequently indicated. Rhus affects fibrous tissue markedly-joints, tendons, sheaths, aponeurosis, etc, producing pain and stiffness. Post-operative complications. Ailments from strains, overlifting,getting wet while perspiring. Septic conditions.Cellulitis and infections, carbuncles in early stages. Rheumatism in the cold season, Septicaemia.

116	Robinia pseudacacia	Yellow locust	Robinia pseudacacia	Leguminosae	United States/Europe	Bark and Root of Stem	The gastric symptoms with the most pronounced acidity are well authenticated, acrid eructations. Acrid and greenish vomiting, colic and flatulence, nightly burning pains in stomach and constipation with urgent desire.--Acidity of children. Stools and perspiration sour. Incarcerated flatus.
117	Ruta graveolens	Rue-bitterwort	Ruta graveolens Linn.	Rutaceae	-	Whole plant	Acts upon the periosteum and cartilages, eyes and uterus.
118	Sabadilla	Cevadilla Seed	Schoenocaulon officinale (Sch) A. Gray.	Liliaceae	Mexico, West Indies.	Seeds	Action on mucous membrane of the nose and the lachrymal glands, producing coryza and symptoms like hay-fever.
119	Sabal serrulata	Saw palmetto	Sabal serrulata Sch, Serenoa serrulata Hkf	Palmaceae	USA	Ripe fruit	Sabal is homoeopathic to irritability of the genito-urinary organs. General and sexual debility. Promotes nutrition and tissue building. Head, stomach and ovarian symptoms marked. Of unquestioned value in prostatic enlargement, epididymitis and urinary difficulties. Acts on membrano-prostatic portion of urethra. Iritis, with prostatic trouble. valuable for undeveloped mammary glands. Fear of going to sleep. Languor, apathy and indifference.
120	Sabina	Sacvine	Juniperus sabina Linn.	Juniperaceae (Coniferae)	Temperate regions of northern Hemisphere	Leaf and stem	Has a Special action on the uterus, serous and fibrous membranes. Pains from sacrum to the pubis. Haemorrhages.
121	Salix nigra	Black willow	Salix nigra Marsh, Salix amygdaloides Audes	salicaceae	Unites States	Bark	Has a positive action on the generative organs of both sexes. Hysteria and nervousness. Libidinous thoughts and lascivious dreams. Control;s genital irritability. Moderates sexual passion. In acute gonorrhoea, with much erotic trouble; chordae. After masturbation; spermatorrhoea.
122	Sarsaparilla	Smilax	Smilax ornata Hook	Liliaceae	Mexico	Rhizome and root	Renal colic; marasmus and periosteal pains due to venereal disease. Eruptions following hot weather and vaccinations; boils and eczema. Urinary symptoms well marked.
123	Secale corr	Ergot	Claviceps purpurea (fries) Tul.	Hypocreaceae	India	Fungus freshly dried	Debility, anxiety, emaciation, though appetite and thirst may be excessive. Facial and abdominal muscles twitch. Secale decreases the flow of pancreatic juice by raising the blood pressure (Hinsdale).
124	Senecio aureus	Golden ragwort	Senecio aureus linn.	Compositae	USA	Whole plant	Its action on the female organism. Backache of congested kidney. Early cirrhosis of liver.
125	Senega	Snakewort	Polygala senega Linn.	Polygalaceae	United states/ Virginia.	root	Catarhal symptoms, especially of the respiratory tract.
126	Sepia officinalis	Inky juice of cuttlefish	sepia officinalis Linn.	Sepiadae	Indian ocean	Inky juice found in a bag-like structure in the abdomen of the cuttlefish.	Weakness, yellow complexion, bearing-down sensation. Tendency to abortion. Hot flashes at menopause with weakness and perspiration.
127	Solidago virgaurea	Golden-rod	Solidago virgaurea Linn	Compositae	New England/Northern United States/Europe/India	Whole plant excluding root	Repeated colds of tuberculosis (2x) feeling of weakness, chilliness alternating with heat; naso-pharyngeal catarrh, burning in throat, pains in limbs and thoracic oppression. Pain in region of kidneys, with dysuria. Kidneys sensitive to pressure. Bright's disease.
128	Spongia tosta	Rosted Sponge	Sycon gelatinosum	Porifera	The Mediterranean, near Syria and Greece	Whole animal	A remedy especially marked in the symptoms of the respiratory organs, cough, croup, etc.
129	Staphisagaria	Stavesacre	Delphinium staphysagria Linn.	Ranunculaceae	Native of Italy/Greek island/Asia Minor	Seed	A remedy especially marked in the symptoms of the respiratory organs, cough, croup, etc.
130	Stellaria media	Chickweed	tellaria media (L) Cyrill	Caryophyllaceae	India	Whole plant in flowering	Sharp, shifting, rheumatic pains in all parts very pronounced. Rheumatism, Chronic rheumatism. Shifting pains. Psoriasis. Enlarged and inflamed gouty finger joints.
131	Strophanthus hispid	Kombe seed	rophanthus hispidus D.	Apocynaceae	Tropical Africa	Ripe seeds	Strophanthus is a muscle poison; it increases the contractile power of all striped muscles. Acts on the heart; increasing the systole and diminishes the rapidity.
132	Symphytum officinal	Comfrey-Knitbone	mphytum officinalis Lir	Boraginaceae	United States	Root	The treatment of gastric and duodenal juries to sinews, tendons and the periosteum. Acts on joints generally. Neuralgia of knee.
133	Syzygium jambolanu	Jambol seeds	Syzygium Cumini	Myrtaceae	Throughout india	Fruits	The fruit and seeds are sweet, acrid, sour, tonic and cooling. They are used in diabetes, diarrhoea and ringworm. The bark is astringent, sweet sour, diuretic, digestive and anthelmintic. Leaves are used as poultices on skin diseases. Decoction of the fruit is used in case of enlargement of the spleen.
134	Teucrium Marum	Cat thyme	Teucrium Marum	Labiatae	Spain/Southern Europe	whole plant	Nasal and rectal symptoms marked. Polypi. Affections of children. Suitable after too much medicine has been taken. Oversensitiveness. Desire to stretch. A remedy of first importance in chronic nasal catarrh with atrophy, large, offensive crusts and clinkers. Ozaena. Loss of sense of smell.
135	Thlaspi bursa	-	-	-	-	Whole plant	-
136	Thuja occidentalis	Arbor vitae	Thuja occidentalis Linn.	Cupressaceae	U.S.A	Leaves and twig	Acts on skin, blood, gastro-intestinal tract, kidneys, and brain
137	Tribulus Terrestris	Ikshugandha	Tribulus Terrestris	Zygophyllaceae	Warm regions of the world	Whole Plant	Roots and fruits are sweet, cooling, diuretic, aphrodisiac, emollient, appetizer, digestive, anthelmintic, expectorant, anti-inflammatory, laxative, cardiotoxic, styptic and tonic. They are useful in strangury, dysuria, renal and vesical calculi, anorexia, dyspepsia, helminthiasis, cough, asthma, inflammations, cardiopathy, spermatorrhoea, anaemia, scabies, ophthalmia and general weakness. Leaves are astringent, diuretic, aphrodisiac, depurative, anthelmintic and tonic, they are useful in gonorrhoea, inflammation, menorrhagia, strangury, leprosy, skin diseases and general weakness. Seeds are astringent, strengthening and are useful in haemorrhages and ulcerative stomatitis. Fruit is diuretic and tonic and is used for the treatment of calculous affections and painful micturition. Paste prepared from leaves is used in treatment of stones in the bladder.
138	Trillium pendulum	White Beth-root	Trillium pendulum L.	Liliaceae	North America/ New England to Virginia	Subterranean part	A general hæmorrhagic medicine, with great faintness and dizziness. Chronic diarrhoea of bloody mucus. Uterine hæmorrhage. Threatened abortion. Relaxation of pelvic region. Cramp-like pains.
139	Urtica urens	Stinging nettle	Urtica urens	Urticaceae	Europe/U.K/Germany	whole plant	A remedy of agalactia and lithiasis. Profuse discharge from mucous surface. Enuresis and urticaria. Spleen affections. Antidotes ill-effects eating selfish. Symptoms return at the same time every year. Gout and uric acid diathesis. Favours elimination. Rheumatism associated with urticaria-like eruptions. Neuritis.
140	Usnea barbata	Tree-moss	Usnea barbata Heffm	Usneaceae	India/U.K	Entire lichen	Is a remedy in some forms of congestive headache; sunstroke.
141	Ustilago	Corn-smut	Ustilago Maydis (DC) cd	Ustilaginaceae	Jammu/Kashmir/Punjab/Europe/United States	Fungal galls	Flabby condition of uterus. Hæmorrhage. Congestion to various parts, especially at climacteric. Crusta lactea.

142	Uva ursi	Bearberry	Arctostaphylos uva-ursi Spreng	Ericaceae	United States/Mexico and northern Asia	Leaf	Urinary symptoms most important. Cystitis, with bloody urine. Uterine hæmorrhage. Chronic vesical irritation, with pain, tenesmus, and catarrhal discharges. Burning after the discharge of slimy urine. Pyelitis.
143	Valeriana officinalis	Valerian	Valeriana officinalis Linn	Valerianaceae	India (Kashmir)/Europe	Rhizome	Hysteria, over-sensitiveness, nervous affections, when apparently well-chosen remedies fail. Hysterical spasms and affections generally. Hysterical flatulency.
144	Viburnum opulus	High Cranberry	Viburnum opulus Linn.	Caprifoliaceae	Southern Canada/Northern United States/Europe/ Asia.	Bark	A general remedy for cramps. Colicky pains in pelvic organs. Superconscious of internal sexual organs. Female symptoms most important.
145	Viscum album	Mistletoe	Viscum album Linn.	Loranthaceae	India/Europe	Fresh leaves and berries	Lowered blood pressure. The symptoms point especially to rheumatic and gouty complaints; neuralgia, especially sciatica. Epilepsy, chorea, and metrorrhagia. Rheumatic deafness. Asthma. Spinal pains, due to uterine causes. Rheumatism with tearing pains.
146	Yohimbinum	Yohm	Corynanthe johimbe Schum, Pausinvstalia yohimba Pierre (ex Bielle)	Rubiaceae	Indigenous to the Cameroon & the French Congo	Bark	Excites sexual organs and acts on central nervous system and respiratory centre. An aphrodisiac, used in physiological doses, but contraindicated in all acute and chronic inflammations of abdominal organs. Homoeopathically, should be of service of the milk glands and stimulates the function of lactation. Menorrhagia.
147	Zingiber Officinalis	Sweet Ginger	Zingiber Officinalis	Zingiberaceae	Asia/America	Fresh And Dried Rhizomes.	Clinically proved as prophylactic of nausea and vomiting associated with motion, sickness, sea sickness and pregnancy. Known for its gastrointestinal benefits and as an anti inflammatory and carminative. It is useful in bronchitis, colds, congestion, diarrhea, flu, headache, nausea, rheumatism, sore throat. It is also used as an adjunct to many tonic and stimulating remedies.

S.no	Generic name	Common names	Origin	Parts used	Gram	Water/ML	Dil/ML
1	Acalypha indica	Indian nettle	India	Whole plant	100	100	635
2	Aesculus Hipp	Horse Chestnut	Europe/America/India	Flowers and buds	100	400	635
3	Agnus Castus	The chaste tree	Europe	The chaste tree	100	sufficient alcohol	
4	Aletris Farinosa	Stargrass	Eastern U.S	rhizome and root	100	500	635
5	Allium Cepa	onion	Found throughout the world	Rhizome	100		468
6	Alfafa	California clover	India/ Pakistan	Whole plant excluding roots	100+233 moisture	87	680
7	Aloe socotrina	Socotrine aloes	India/ Pakistan/East Africa	Whole plant excluding roots	100	sufficient alcohol	
8	Aconitum napellus	Monk's hood	Southern Europe	Whole Plant	100g	350	683
9	Apis mell	The Honey-bee	Europe	The live bee	moist magma 100g moisture 150ml	225	425
10	Ashoka janosia	Bark of indian tree	India/Pakistan	Bark	100	125	900
11	Aswagandha		India	Roots	100	250	800
12	Arnica montana	Leopard's bane		Whole plant	100	400	635
13	Arnica montana Radix	Arnica montana	Europe/US cooler parts	Roots	100	400	635
14	Aspidosperma	White quebracho	Argentina	Bark	100	sufficient alcohol	
15	Asparagus offi	Common garden asparagus	Europe	Young shoots	100	400	635
16	Avena Sativa	Common oat	Pakistan	Seeds	100	400	635
17	Baptisia	Wild Indigo	U.S.A/Canada	Root	100	333	700
18	Belladonna	Deadly nightshade	South Europe/Kashmir	whole plant	100	567	470
19	Berberis aquifolium	rocky mountain grape	Western United States	root	100	300	730
20	Berberis vulgaris	Barberry	India/Europe/Pakistan	Bark of the root	100	500	537
21	Blatta orientalis	Indian cockroach	common	Whole insect	100	sufficient alcohol	
22	Bryonia alba	Black berried bryony	Middle /South of Europe	Roots	100	400	635
23	Cactus grand	Night blooming cereus	America/India	Flowering stem	50	283	754
24	Calendula off	Marigold	India/Pakistan	Fresh flowers&leaves	moist magma 100 g & 600ml=700gm		437
25	Cantharis	Spanish fly	South of Europe/Asia	Whole dried fly	100	sufficient alcohol	
26	Caladium seg	American Arum	Wes Indies/South America	Whole Plant	100	500	579
27	Canabis sativa	Marijuana	India	Flowering Tops of Both Male & Female	Solids 100g & Moisture 200ml	100	730
28	Carduus mar	St. Mary's thistle	Punjab/N.W Himalayan/J&K/S.Eur/G	Seeds	100	250	780
29	Ceanothus americanus	New jersey tea	Southern Canada	Leaves fresh	100	400	635
30	China officinalis	Peruvian bark	India	Bark	100	200	824
31	Chelidonium maj	Celandine	Germany/France	Whole plant	100	567	468
32	Chimaphila umb	Pipsissewa	Canada/Mexico/Japan/Europe	Whole Plant	100	300	730
33	Chinonthus virginica	Fringe tree	Southern United States	Bark	100	400	637
34	Cimicifuga racemosa	Black snake-root	U.S.A/Canada	Rhizome	100	385	650
35	Cinamonum	Cinnamon	India/Srilanka	Inner bark	100	sufficient alcohol	
36	Cocanium	Erythroxyton coca		Leaves	100	500	537
37	Colocynthis	Bitter cucumber	India/Sril Lanka/Saudi Arabia	Pulp excluding seeds	100	500	537
38	Collinsonia canadensis	Stone-root	U.S.A/Canada	Rhizome	100	500	537
39	Conium	Poison hemlock	India	Whole plant	100	400	637
40	Colchicum	Meadow saffron	India	Corn	100 Plant Moisture 233	267	537
41	Condurango	Condor plant	South America	Bark	100	500	537
42	Convallaria majalis	Lily of the valley	Europe	Whole plant	100	400	635
43	Crataegus oxycantha	Hawthorn berries	Native of Asia/Europe	Berries	100	400	635
44	Cubeba off	Cubebs	sri lanka	Dry unripe fruit	100	sufficient alcohol	
45	Damiana	Turnera diffusa	Mexico	Whole plant	100	350	685
46	Drosera rotund	Sundew	Eur/N.Amer/Asia	Whole plant	100	400	635
47	Digitalis purpurea	Foxglove	England	Leaves of the 2nd year growth	100	567	468
48	Dioscorea villosa	Wild yam	United States of America	Rhizome	100	400	635
49	Echinacea angustifolia	Purple corn flower	US / Europe	Whole plant	100	200	825
50	Echinacea purpurea	Black sampson	US	Whole plant	100	430	580
51	Eriodictyon-calif-yerba-santa						
52	Epigaea repens	Trailing arbutus	Eastern Canada	Whole plant	100	Plant mois	635
53	Eucalyptus	Blue gum tree	Australia	Leaf	100	200	914
54	Eupatorium perfolatum	Thoroughwort	North America	Flowering tops	100	500	537
55	Equisetum	Equisetum hyemale	Europe/Asia	Stem	moist magma 100g & 320ml moisture	420g	690
56	Fel tauri	Oxgal		Fresh bile	100	sufficient alcohol	
57	Filix mas	Male fern	Europe/India/U.S.A	Rhizome	100	233	797
58	Fraxinus americana	White ash	Texas	Bark	100	350	683
59	Fucus vesiculosus	Sea kelp	North America/Europe	Whole plant	100	400	635
60	Gaultheria procumbens	Wintergreen	Canada	Leaf	100	215	815
61	Gelsemium sempervirens	Yellow jasmine	Virginia/mexico	Rhizome	100	400	635
62	Gentiana lutea	Gen. Lut	Southern/Central Europe	Root	100	430	600
63	Ginkgo biloba	Ginkgo	America/China/Japan	Fresh Leaves	100	400	635
64	Ginseng	Panax	China/Japan/Korea	Root	100		1000
65	Glonoinum	Nitroglycerine			100		1000
66	Gnaphalium	Cud-weed	North America	Whole plant	100	500	537
67	Gossypium herbaceum	Cotton plant	Asia/Europe/America	Cotton plant	100	600	437
68	Guaicum	Resin of Lignum vitae	Tropical US	Resin	100	sufficient alcohol	
69	Gymnema sylv	Gurmar	Himalaya India	Leaves	100	200	sufficient alcohol
70	Hamamelis	Witch hazel	U.S.A/Canada	Stem & root bark	100	400	635
71	Helonias dioica	Unicorn root	United States/Canada	Rhizome & root	100	400	635
72	Hydratis can	Golden seal	United States/Canada	Rhizome	100	400	635
73	Hydrocotyle asia	Thankuni	India	Whole plant	moist magma 100g 200ml	300	730
74	Hydrangea arborescens	Seven-barks	United States	Root rhizome	100	400	635
75	Hyoscyamas niger	Henbane	India, Europe	Whole plant	100	350	585
76	Ignatia amara	St. Ignatius bean	Philippine/China	Seeds	100	150	870
77	Iodium	Iodine			100	-	1000
78	Kurchi	Holarrhena Antidysenteric	India		100	400	635
79	Kreasoteum	Beechwood Kreosote			100	-	sufficient alcohol
80							
81	Jaborandi	Pilocarpus Jaborandi	Brazil	leaves	100	-	1000

82	Lycopodium clav	Club moss	Europe/U.S.A	Spores	100	-	sufficient alcohol
83	Lemna minor	Duckweed	India W.Bengal	Whole plant	moist magma 100g moisture 600n	700g	400
84	Ledum palustre	Marsh tea	N.Euope/ Asia/ Alaska	Whole plant	100	185	840
85	Millefolium	Yarrow	Asia/Europe/America	Whole plant	st magma 100g moisture 200ml=	200	635
86	Muiria Puma	Liriosma ovata	Brazil	Root bark & wood	100	300	sufficient alcohol
87	Negundium amer	Ash-leaved maple	America	Whole plant	100	400	635
88	Nuphar leuteum	Yellow Pond Lily	Europe	Rhizome	100	567	468
89	Nux Vomica	Poison nut	West Bengal/Bihar/Orissa/Himalaya	Seeds	100	200	824
90	Ocimum canum	Brazilian alfavaca	Asia/Africa/pacific Iland	Leaf	moist magma 100g moisture 150n	250g	880
91	Oleum jecoris aselli						
92	Oenanthe crocata	Water drop wort	Spain/France	Root	100	600	435
93	Okoubaka Aubrevillei	Okubaka Aubrevillei	Africa/Nigeria	Bark & Leaves Inc Wood	100	385	650
94	Ornithogalum umb	Ornithogalum umbellatum	Europe/North America	Whole plant	100	500	535
95	Pareira brava	Virgin vine	Brazil/West Indies/Central America	Root	100	300	730
96	Passiflora incarnata	Passion flower	USA	Leaf	100	400	635
97	Paeonia officinalis	Paeony	Europe/West Asia	Root	100	420	635
98	Pulsatilla	Wind flower	Europe/Russia/Asia	Whole plant	100	300	730
99	Pinus lamb	Crude turpentine		Resin	100		sufficient alcohol
100	Pinus Sylvestris	Scotch pine	Europe	Young shoot	100	150	870
101	Piscidia ery	White dogwood	Tropical America/West indies	Root bark	100	200	824
102	Phytolacca americana	Poke root	North America	root	100	400	635
103	Phytocacca berry	Poke berry	North America	Berries	100	330	700
104	Plantago major	Plantain	Europe/Japan/North America	Whole plant	moist magma 100g moisture 350n	450g	683
105	Ratanhia peruviana	Krameria-Mapato	Peru	Root	100	400	637
106	Robinia pseud	Yellow locust	United States/Europe	Bark and Root of Stem	moist magma 100g moisture 185n	285g	840
107	Rauwolfia serpentina	Chanfra	Western Ghats of India	Root	100	200	824
108	Rhus aromatica	Fragrant simac	USA	Root bark	100	333	700
109	Rhus toxi	Poison Ivy	USA	leaves	100	200	824
110	Ruta graveolens	Rue-bitterwort		Whole plant	100	300	730
111	Sanguinaria canadensis	Blood Root	India/USA/Canada	Rhizome	100	400	635
112	Sanguinarinum nit	Nitrate of Sanguinarine			Saccharum Lactis 900g	-	-
113	Sepia officinalis	Inky juice of cuttlefish	Indian Ocean/Europe	Inky juice found in a bag-like structure in the abdomen of the cuttlefish	100g	-	900
114	Senecio aurens	Golden ragwort	USA	Whole plant	100	500	537
115	Senega	Snakewort	United States/Virginia	root	100	500	537
116	Salix nigra	Black willow	Unites States	Bark	100	500	537
117	Sabal serrulata	Saw palmetto	USA	Ripe fruit	100	500	537
118	Sabadilla	Cevadilla seed	Mexico/West Indies	Seeds	100	200	824
119	Sabina	Savine	Temperate regions of northern Hemisphere	Leaf and stem	100	112	903
120	Sarsaparilla	Smilax	Mexico	rhizome and root	100	500	537
121	Solidago virgaurea	Golden rod	New England/ United States/ Europe/ India	Whole plant excluding root	moist magma 100g moisture 400n	500	635
122	Spongia tosta	Roasted sponge	Syria/Greece	Whole animal	100	200	824
123	Staphisagaria	Stavesacre	tive of Italy/ Grek islands/ Asia Mir	Seed	100	-	sufficient alcohol
124	Strophanthus hisp	Kombe seed	Tropical Afirca	Ripe seeds	100	-	sufficient alcohol
125	Stellaria media	Common chickweed	India	Whole plant in flowering	100	540	480
126	Symphytum officinalis	Comfrey, Kintbone	Unites States	Root	100	500	537
127	Syzygium jamb	Jambol seeds	Throughout India	Seed	100	150	900
128	Trillium pendulum	Wake-robin	rth America/ New England to Virgi	Subterranean part	100	330	700
129	Tribulus terrestris	Ikshugandha	Throughout India	Whole plant	100	450	680
130	Teucrium M.V	Cat thyme	Spain/Southern Europe	Whole plant	100	400	635
131	Thlaspi bursa	Shepherd's purse	Throughout India	Whole plant	solid 100g moisture 233ml	200	600
132	Thuja occidentalis	Arbor vitae	USA/also planted in India	Leaves and twig	100	135	885
133	Urtica urens	Stinging nettle	Europe/U.K/ Germany/ Austria	whole plant	100	500	537
134	Usnea barbata	Tree-moss	India/U.K	Entire lichen	100	300	730
135	Ustilago maydis	Corn smut	Europe/United States	Fungal gallls	200	300	635
136	Uva ursi	Bearberry	Europe/United States/Mexico	Leaf	100	400	635
137	Valeriana off	Valerian	India (Kashmir)/Europe	Rhizome, fresh or dried in artificial haet soon after collection	100	500	537
138	Verbascum	Mullein	Canada	Whole plant	100	500	537
139	Viscum album	Mistletoe	India/Europe	Freash leaves and berries	100	333	800
140	Vesicaria	Vesicaria renflee	Europe/ From France to Greece	Whole plant	100	330	700
141	Vinca minor	Lesser periwinkle	India	Whole plant	100	233	800
142	Xanthoxylum	Prickly ash	United States from Virginia to Texz	Bark	100	233	800
143	Yohimbinum	Yohimbe	Indigenous to the Cameroon & the French Congo	Bark	100	385	650
144	Zingiber officinalis	Ginger	Throughout India/ America	Dried Rhizome	100	112.5	900

<u>Botanical name</u>	<u>Origin</u>	<u>Parts</u>
Acalypha indica		Whole plant
Aconitum napellus	Southern Europe	Whole Plant
Adonis vernalis	North europe & Asia	Whole plant
Aesculus Hipp	Europe/America/India	Flowers and buds
Agnus Castus	Europe	The chaste tree
Aletris farinosa	Eastern U.S	rhizome and root
Alfafa		
Allium Cepa		Rhizome
Aloe socotrina	India/ Pakistan/East Africa	Whole plant excluding roots
Apis mell		The live bee
Arnica montana Flower	Euorpe/US cooler parts	Whole plant
Arnica montana Radix		Roots
Ashoka janosia		Bark
Asparagus officinalis	Europe	Young shoots
Aspidosperma		Bark
Aswagandha	India	Roots
Avena Sativa		Seeds
Baptasia tinctora	U.S.A/Canada	Root
Belladona	South Europe/Kashmir	whole plant
Berberis aquifolium	Western United States	root
Berberis vulgaris	India/Europe/Pakistan	Bark of the root
Blatta orientalis	common	Whole insect
Bryonia alba	Middle /South of Europe	Roots
Cactus grand	America/India	Flowering stem
Caladium seg	Wes indies/South America	Whole Plant
Calendula off		Fresh flowers&leaves
Cantharis		Whole dried fly
Carduus marianus	Punjab/N.Whimalyan/J&K/S.Eur /GB	Seeds
Cascara sargada	California/ British columbia	Bark 2 years old contain 8% Anthraquinines
Caulophylum	Canada / Kentucky USA	Rhizome
Ceanonthis americanus		Leaves fresh
Chelidonium maj	Germany/France	Whole plant
Chimaphila umb	Canada/Mexico/Japan/Europe	Whole Plant
China officinalis	India	Bark
Chinonthus virginica	Southern united States	Bark
Cimicifuga racemosa	U.S.A/Canada	Rhizome
Cinamonum		Inner bark
Coca		Leaves
Cocus cacti	Mexico/Peru/ C.America/Spain.W.Indies	Dried female insect
Cola		Dried ripe seeds
Colchicum	India	Corn
Collinsonia canadensis	U.S.A/Canada	Rhizome
Colocynthis		Pulp excluding seeds

Condurango		Bark
Conium	India	Whole plant
Convallaria majalis	Europe	Whole plant
Crataegus oxycanta	Native of Asia/Europe	FRESH Berries
Cubeba off	sri lanka	Dry unripe fruit
Cubeba off		Dry unripe fruit
Damiana	Mexico	Whole plant
Digitalis purpurea		Leaves of the 2nd years growth
Dioscorea villosa	united States of America	Rhizome
Drosera rotund	Eur/N.Amer/Asia	Whole plant
Drosera rotund		Whole plant
Echinacea angustifolia	US / Eurorpe	Whole plant
Echinacea purpurea		Whole plant
Epigaea repens		Whole plant
Equisetum		Stem
Eriodictyon-calif-yerba santa		
Eucalyptus		Leaf
Eupatorium perf	North America	Flowering tops
Fel tauri		Fresh bile
Filix mas	Europe/India/U.S.A	Rhizome
Fraxinus americana	Texas	Bark
Fucus vesiculosus	North America/Europe	Whole plant
Ganphalium		Whole plant
Gaultheria procumbens		Leaf
Gelsemium sempervirens	Virgina/mexico	Rhizome
Gentiana lutea	Southern/Central Europe	Root
Ginkgo biloba	America/China/Japan	Fresh Leaves
Ginseng		Root
Ginseng panax	China/Japan/Korea	Root
Glonoinum		
Gossypium herbaceum		Cotton plant
Guaicum wood 48% resin	Tropical US	WOOD
Gymemea sylv		Leaves
Hamamalis	U.S.A/Canada	Stem & root bark
Helonias dioica		Rhizome & root
Hydrangea arborescens	United States	Root rhizome
Hydratsis can IND	India	Rhizome
Hydratsis can USA	United States/Canada	Rhizome
Hydrocotyle asia	India	Whole plant
Hyoscyamas niger	India, Europe	Whole plant
Ignatia amara		Seeds
Iodium		
Jaborandi	Brazil	leaves
Kurchi	India	
Ledum palustre	N.Euope/ Asia/ Alaska	Whole plant
Lemna minor	India W.Bengal	Whole plant
Liatris spicata	Florida/N.Jersey/USA/ Europe	Root

Lycopodium clav	Europe/U.S.A	Spores
Millefolium		Whole plant
Muirapuma	Brazil	Root bark & wood
Negundium amer		Whole plant
Nuphar leuteum	Europe	Rhizome
Nux Vomica		Seeds
Ocimum canum		Leaf
Oenanthe crocata	Spain/France	Root
Okubaka Aubrevillei		Bark & Leaves Inc Wood
Oleum jecoris aselli		
Ornithogalum umb		Whole plant
Paeonia off	Europe/West Asia	Root
Pareira brava	Brazil/West Indies/Central America	Root
Passiflora incarnata	USA	Leaf
Phytolacca berry		Berries
Phytolacca berry	North America	Berries
Phytolacca decendra	North America	root
Pinus lamb		Resin
Pinus Sylvestris		Young shoot
Piscidia ery	Tropical America/West Indies	Root bark
Plantago major	Europe/Japan/North America	Whole plant
Podophyllum		Resin
Pulsatilla nigra	Europe/Russia/Asia	Whole plant
Ratanhia	Peru	Root
Rauwolfia serpentina		Root
Rhus aromatica	USA	Root bark
Rhus tox		leaves
Robinia pseud	United States/Europe	Bark and Root of Stem
Ruta graveolens		Whole plant
Sabadilla		Seeds
Sabal serrulata	USA	Ripe fruit
Sabina	Temperate regions of northern Hemisphere	Leaf and stem
Sabina		Leaf and stem
Salix nigra	United States	Bark
Sarsaparilla	Mexico	rhizome and root
Secale corr	India	Fungus freshly dried
Senecio aureus		Whole plant
Senega		root
Sepia officinalis		
Solidago virgaurea		Whole plant excluding root
Spongia tosta		Whole animal
Staphisagaria		Seed
Stellaria media	India	Whole plant in flowering
Strophanthus hisp		Ripe seeds
Symphytum officinalis		Root

Syzygium jamb		Seed
Teucrium M.V	Spain/Southern Europe	Whole plant
Thlaspi bursa		Whole plant
Thuja occidentalis		Leaves and twig
Tribulus terrestris		Whole plant
Trillium pend	North America/ New England to Virginia	Subterranean part
Urtica urens		whole plant
Usnea barbata		Entire lichen
Ustilago maydis		Fungal gallls
Uva ursi		Leaf
Valeriana off		
Vibrinium op		
Viscum album	India/Europe	Freash leaves and berries
Yohimbinum	Indigenous to the Cameroon & the French Congo	Bark